



INDIAN INSTITUTE OF MANAGEMENT LUCKNOW

Prabandh Nagar, IIM Road
Lucknow 226013

CORRIGENDUM-I

Dated: 23/04/2019

Sub: Notice of Extension for last date of tender submission.

Reference to E-tender NIT No. IIML/Pur/ Network AMC/44/2018-19 dated 29/03/2019 for "Annual Maintenance of Network Equipment for Lucknow and Noida Campus".

Last date of Submission of tender	07 May, 2019 on or before 02:00 PM
Date of opening of Tender	The Tender documents shall be opened on the 09 May, 2019 at 03:00 PM in the presence of authorized representative of the bidders, if any

All others terms and conditions of tender shall remain unchanged.


Administrative Officer
PURCHASE & STORES
23/04/2019

INDIAN INSTITUTE OF MANAGEMENT, LUCKNOW

Prabandh Nagar, IIM Road, Lucknow – 226013

E-TENDER NOTICE **NOTICE INVITING TENDER**

NIT No. – IIIM/Pur/ NetworkAMC/44/2018-19 dated 29/03/2019. Online E-tenders are invited in Two-Bid System (i.e. Technical Bid & Financial/ Price Bid) for work mentioned below in E-mode from Contractors (Indian Nationals/ Firms only) and free view NIT is available on Govt. E-Procurement portal i.e. <https://eprocure.gov.in>. Interested agencies are requested to sign-in (new user sign-in only with DSC) online to obtain user-ID and password using Digital Signature. The tender documents comprise of Technical bid and price bid. It is requested to download the Tender on acceptance of terms & conditions. The technical bid and price bid duly filled may be uploaded on E-Portal of Govt. E-Procurement site i.e. <https://eprocure.gov.in> using Digital Signature before the last date & time of submission as mentioned in the tender notice. The credentials as listed below shall be uploaded online.

Bid Information Sheet

Document Description	Tender Document for " <u>Annual Maintenance of Network Equipments for Lucknow and Noida Campus</u> "
Tender Date	29/03/2019
Last date & Time of Submission of Response to Tender Document	22/04/2019 upto 02:00 PM
Bid Opening (Venue, Date & Time)	Purchase Department, IIM Lucknow, Prabandh Nagar, IIM Road, Lucknow – 226013, 26/04/2019 at 03:00 PM.
Validity of Tender	90 (Ninety) days from the date of opening of tender.
Bid Security/EMD	Rs.36,000/- (Rupees Thirty Six Thousand Only) in the form of Demand Draft in favor of Indian Institute of Management,Lucknow.A deposition of EMD through any other form will not be accepted. The scanned copy of EMD has to be uploaded online along with the bid. The original instrument of EMD should reach to the address mentioned below latest by 22/04/2019 upto 02:00 PM.
Name, Designation, Address and other details (For Submission of Response to Tender Document)	Officer on Special Duty, Indian Institute of Management Prabandh Nagar, IIM Road Lucknow -226013 Phone : 0522 - 6696949

Indian Institute of Management, Lucknow

E-Tender for Annual Maintenance Contract of Networking Equipments (Switches, Controller, SFP Modules, Access points etc.) for Lucknow and Noida Campus

Eligibility Criteria

The bidder must submit:

- All the vendors have to submit a **letter of Authorization from OEM** indicating that the bidder is authorized to bid for this specific e-tender. Any OEM directly participating in the e-tender need not submit such letters.
- Backend support commitment letter from the OEM specific to this e-tender by the vendor. OEM should submit a commitment letter along with the e-tender for providing full onsite support at Lucknow and Noida campus.
- Submit proof of adequate facilities and manpower (technical staff) to ensure the necessary support to IIML during the AMC period.
- Registration Number of the bidder firm along with the GST No. and the PAN number allotted by the concerned authorities.
- EMD deposit of Rs.36,000/- (Rupees Thirty-six Thousand only) in the form of Demand Draft/Pay order in favor of Indian Institute of Management, Lucknow. The EMD should be submitted in hard copy before the due date of the e-tender opening. Failing which the e-tender shall not be accepted. BID security money shall be forfeited by IIML in the event of Successful Bidder's failure to accept the Award of contract
- List of Items (Annexure B and C) with details of Back-to-back support from OEM or without back-to-back support and how to support.
- Service Level Agreement
- Details regarding the provision of support during AMC.

Scope of Work

The following shall be carried out by the implementation vendor.

1. This Tender for AMC of Network Switches and Access points (list attached Annexure B and C) spread over at IIM Lucknow & Noida Campus is for a period of one year. If the services are found satisfactory, this contact can be extended further for another next two years on the same terms and conditions.
2. Vendor to configure and install the equipments with latest IOS. (according to IIML's requirement).
3. This tender is to provide Annual Maintenance Service of all network equipments which includes all the switches and access points which is active in the network at the time of tendering.

4. Your responsibility includes monitoring and management of networks, and network devices which are listed in Annexures – B & C.
5. 98% uptime of the Network Equipments are to be guaranteed by the vendor. Response Time:30 min-2 hrs and Resolution time: 2Hrs. to Next Business Day. Uptime will be calculated on quarterly basis.
6. A hardware problem must be resolved within 2 days of the complaint date. After that a penalty of Rs. 500/- per day will be levied and total penalty will be deducted from quarterly payment.
7. Monthly/quarterly status report of the services of network and network equipments which are covered under AMC should be submitted to IIML with full details.
8. On the basis of performance and SLA (Service Level Agreement), IIML may cancel this work order with prior notice . Notice period depends on the severity of the issues.
9. Any payment made by IIM Lucknow in respect of the AMC done will be subject to income tax and any other applicable taxes deductible at source at the rate in force from time to time.
10. The payment shall be made at the end of each quarter after satisfactory performance. You have to submit a performance / Preventive Maintenance report along with the invoice at the time of submission of Bill.
11. If any vendor would like to evaluate the equipments and facilities, you are free to visit our Lucknow / Noida Campus for the same.
12. You have to provide list of items with serial numbers on letter head from OEM ensuring the back to back support available at Lucknow / Noida Campus.
13. You have to provide list of items with serial Numbers on Letter head ensuring the support for all items which does not have a back-to-back support from OEM with how to maintain it.
14. You have to keep sufficient stand-by spares at Lucknow / Noida Campus.

Terms and Conditions

The bidder must ensure:

A) Pricing:

- Quote price for each of the components and also the total amount as per the tender document.

- The prices are to be quoted on individual item rather than the total package including all taxes.
- Need not suggest any alternative product or different configuration in the same product.
- The quotations are invited on two bid system (Technical and Financial) for procuring the above items.

B) Payment Terms:

- The payment shall be made at the end of each quarter after satisfactory performance. You have to submit a performance / PM report along with the invoice at the time of submission of Bill.
- The final payments will be made based on the Preventive Maintenance completion certificate.

Late Bids

Bids received after the due date and the specified time for any reason whatsoever, shall not be entertained.

Disqualification

The proposal is liable to be disqualified in the following cases:

- 1) Proposal not submitted in accordance with this document
- 2) During validity of the proposal, or its extended period, if any, the bidder increases his quoted prices.
- 3) Proposal is received in incomplete format
- 4) Proposal is received without soft-copy of the EMD.
- 5) Proposal is not accompanied by all requisite documents.
- 6) Information submitted in the e-tender proposal is found to be misrepresented, incorrect or false, accidentally, unwittingly or otherwise, at any time during the processing of the contract (no matter at what stage) or during the tenure of the contract including the extension period if any.

IIML's Right to Terminate the Process

- a) IIML may terminate the E-tender process at any time and without assigning any reason. IIML makes no commitments, express or implied, that this process will result in a business transaction with anyone.
- b) This E-tender does not constitute an offer by IIML. The bidder's participation in this process may result in IIML selecting the bidder to engage in further discussions and negotiations toward execution of a contract if necessary. The commencement of such negotiations does not, however, signify a commitment by IIML to execute a contract or to continue negotiations. IIML may terminate negotiations at any time without assigning any reason.

DISPUTE SETTLEMENT & APPOINTMENT OF ARBITRATOR:

"All disputes or differences whatsoever arising between the parties out of or relating to the construction, meaning and operation or effect of the E-tender and the resulting agreement or the breach thereof that cannot be settled by good faith and negotiations between the parties within 60 days of the commencement of negotiations shall be settled by referring the dispute to the Director, IIM Lucknow, who may either himself decide the dispute as Arbitrator or appoint some other person as Arbitrator to adjudicate the same, who shall be unconnected with IIM Lucknow. The proceedings will be governed by the provisions of the Arbitration & Conciliation Act 1996.

By consent of parties the jurisdiction of all other courts are excluded and the courts at Lucknow alone shall have jurisdiction. The language of the Arbitration shall be English.

The venue of Arbitration proceedings shall be Lucknow"

Signature & seal of Bidder

Annexure - A

TECHNICAL BID

Pre-Qualification Documents Required

Sl.No	Description	Compliance Yes/No	page No. in Submitted Document
1	Complete E-tender Document duly signed and stamped		
2	All the vendors have to submit a letter of Authorization from OEM indicating that the bidder is authorized to bid for this specific e-tender. Any OEM directly participating in the e-tender need not submit such letters.		
3	Backend support commitment letter from the OEM specific to this e-tender by the vendor. OEM should submit a commitment letter along with the e-tender for providing full onsite support at Lucknow campus.		
4	Submit proof of adequate facilities and manpower (technical staff) to ensure the necessary support to IIML during the 3 Year warranty period.		
5	Registration Number of the bidder firm along with the GST No. and the PAN number allotted by the concerned authorities.		
6	EMD deposit of Rs.36,000/- (Rupees Thirty-six Thousand only) in the form of Demand Draft/Pay order in favor of Indian Institute of Management, Lucknow. BID security money shall be forfeited by IIML in the event of Successful Bidder's failure to accept the Award of contract.		
7	Bank guarantee of 10% of the contract amount to be submitted on being awarded the contract (valid for 13 Months). This will be returned at the end of AMC period.		
8	Details regarding the provision of support during AMC with Escalation Chart.		

Signature & seal of Bidder

Annexure - 'B'
List of Switches and Access Points at Lucknow Campus

S.No.	Location	Make	Asset Type	Model	Serial No.	Back-to-Back Support Yes/No	If No Back-to-Back Support How Maintain
1	Hostel-1,2,3	Cisco	Switch	WS-C3560-24PS-S	FDO1844Y0PX		
2	Hostel-1	Cisco	Switch	WS-C2960S-24TS-S	FOC1712W2PT		
3	Hostel-2	Cisco	Switch	WS-C2960X-24PS-L	FCW1909B0DD		
4	Hostel-2	Cisco	Switch	WS-C2960X-24PS-L	FCW1909B09W		
5	Hostel-3	Cisco	Switch	WS-C2960S-24TS-S	FOC1712W2V3		
6	Hostel-4,8	Cisco	Switch	WS-C3560-24PS-S	CAT1031NGYL		
7	Hostel-4	Cisco	Switch	WS-C2960X-24PS-L	FOC1907S571		
8	Hostel-8	Cisco	Switch	WS-C2960X-24PS-L	FCW1909B0AU		
9	Hostel-5,6,7	Cisco	Switch	WS-C3560G-24PS-S	FOC1331Y35B		
10	Hostel-5	Cisco	Switch	WS-C2960X-24PS-L	FOC0822X3AS		
11	Hostel-5	Cisco	Switch	WS-C2960X-24PS-L	FOC1007Y0B2		
12	Hostel-6	Cisco	Switch	WS-C2960X-24PS-L	FOC1017ZB32		
13	Hostel-7	Cisco	Switch	WS-C2960X-24PS-L	FCW1909B0DF		
14	Hostel-9	Cisco	Switch	WS-C3560-24PS-S	FDO1237X4BT		
15	Hostel-9	Cisco	Switch	WS-C2950-24	FOC0926W00X		
16	Hostel-9	Cisco	Switch	WS-C2950-24	FOC1017ZAH1		
17	Hostel-9	Cisco	Switch	WS-C2960X-24PS-L	FCW1909B0D8		
18	Hostel-10	Cisco	Switch	WS-C2960S-24TS-S	FOC1712W2PN		
19	Hostel-10	Cisco	Switch	WS-C2950-24	FOC1008Z934		
20	Hostel-10	Cisco	Switch	WS-C2960S-24TS-S	FOC1712Z260		
21	Hostel-11	Cisco	Switch	WS-C3560-24PS-S	CAT1110ZH7Y		
22	Hostel-11	Cisco	Switch	WS-C2960S-24TS-S	FOC1712W2PR		
23	Hostel-11	Cisco	Switch	WS-C2960S-24TS-S	FOC1712Z261		
24	Hostel-11	Cisco	Switch	WS-C2960S-24TS-S	FOC1712W2FS		
25	Hostel-11	Cisco	Switch	WS-C2960S-24TS-S	FOC1712W2PV		
26	Hostel-12	Cisco	Switch	WS-C2960S-24TS-S	FOC1712W2Q9		
27	Hostel-12	Cisco	Switch	WS-C2960S-24TS-S	FOC1712Z25B		
28	Hostel-12	Cisco	Switch	WS-C2960S-24TS-S	FOC1712Z262		
29	Hostel-12	Cisco	Switch	WS-C2960S-24TS-S	FOC1712Z25S		
30	Hostel-13	Cisco	Switch	WS-C3560-24PS-S	CAT1110ZH7U		
31	Hostel-13	Cisco	Switch	WS-C2960S-24TS-S	FOC1712W2QQ		
32	Hostel-13	Cisco	Switch	WS-C2950-24	FOC0925W32U		
33	Hostel-13	Cisco	Switch	WS-C2950-24	FOC0925X3CS		
34	Hostel-14	Cisco	Switch	WS-C3560G-24PS-S	FDO1145Z7DK		
35	Hostel-15	Cisco	Switch	WS-C3560G-24PS-S	FCW2141B3T6		
36	Hostel-16 (Main Switch)	Cisco	Switch	WS-C3560E-12SD-S	FDO1402R11A		
37	Hostel-16	Cisco	Switch	WS-C2960S-24TS-L	FOC1618X2ZG		
38	Hostel-16	Cisco	Switch	WS-C2960S-24TS-L	FOC1539X0XJ		
39	Hostel-16	Cisco	Switch	WS-C2960S-24TS-L	FOC1627Z1N6		
40	Hostel-16	Cisco	Switch	WS-C2960S-24TS-L	FOC1541Y3XR		
41	Hostel-16	Cisco	Switch	SG-300-28	DNI180506XU		
42	Hostel-16	Cisco	Switch	SG-300-28	DNI180506XT		

43	Hostel-16	Cisco	Switch	WS-C2960-48TT-L	FOC1612W41J		
44	Hostel-16	Cisco	Switch	WS-C2960S-24TS-L	FOC1732W60U		
45	Hostel-17	Cisco	Switch	WS-C2960X-24PS-L	FCW2037A5CB		
46	Hostel-17	Cisco	Switch	WS-C2960X-24PS-L	FCW2037A5GZ		
47	FPM-1	CISCO	Switch	WS-C2960X-24PS-L	FCW1909B0CR		
48	FPM 2	Cisco	Switch	WS-C2960X-24PS-L	FCW1909B0D2		
49	Resi 505	Cisco	Switch	WS-C2960S-24TS-S	FOC1712W2QF		
50	Resi 542	Cisco	Switch	WS-C2960X-24PS-L	FCW1909B0DT		
51	Resi 548	Cisco	Switch	WS-C2960X-24PS-L	FCW1906A6YQ		
52	Type 4 Garage	Cisco	Switch	WS-C2950SX-24	FOC1046Z6XV		
53	Resi 518	Enterasys	Switch	VH-2402S2	00-01-F4-A5-99-A0		
54	Resi 518	Cisco	Switch	WS-C3560G-24PS-S	FOC1322Z356		
55	Resi 526	Cisco	Switch	WS-C3560G-24PS-S	FOC1502Y0WU		
56	Resi-530	Cisco	Switch	WS-C3560G-24PS-S	FOC1325Z2HW		
57	Resi-539	Cisco	Switch	WS-C3560G-24PS-S	FDO1203Z279		
58	EWC	Cisco	Switch	WS-C3750G-48TS-S	FOC1343W1FK		
59	Type 3	Cisco	Switch	WS-C3560-24PS-S	CAT1110ZH8H		
60	Type 1	Cisco	Switch	WS-C3560V2-24PS-S	FDO1442X3SF		
61	Director Residence	Cisco	Switch	WS-C2960S-24TS-L	FCW2037A5GR		
62	Faculty Block(Server Room)	Cisco	Switch	WS-C3560G-24PS-S	FOC1110Y172		
63	Faculty Block	Enterasys	Switch	VH-2402S	00-01-F4-CB-B7-E0		
64	Faculty Block	Intel	Switch		SJ819A001137		
65	Faculty Block(Server Room)	Cisco	Switch	WS-C2960X-24PS-L	FCW1909B0CN		
66	Faculty Block(Server Room)	Cisco	Switch	WS-C2950-24	FOC1752Z1WC		
67	Faculty Block-104	Cisco	Switch	WS-C2960S-24TS-L	FOC1732W5WB		
68	Faculty Block-104		Switch	WS-C2950-24	FOC0933Z4MM		
69	Netlab	Enterasys	Switch	VH-2402S	00-01-F4-CB-87-80		
70	PGP Old	Cisco	Switch	WS-C3560-24PS-S	FDO1421X11Z		
71	PGP Old	Cisco	Switch		FOC1018Z35P		
72	PGP New	Cisco	Switch	WS-C3560E-12SD-S	FDO1539Y091		
73	Library	Cisco	Switch	WS-C3560-24PS-S	CAT1110ZH8N		
74	Library	Enterasys	Switch	VH-2402S	00-01-F4-E8-7B-C4		
75	Library	Intel	Switch	Intel Express	SJ829A001113		
76	Library	HP	Switch		CN08BT111R		
77	SBI	Cisco	Switch	WS-C3560G-24PS-S	FOC1440Y0CV		
78	Student Affairs	Cisco	Switch	WS-C2950-24	FOC1021Z083		
79	AMC	Cisco	Switch	WS-C3560C-8PC-S	FOC1817Y49X		
80	AMC	Enterasys	Switch	VH-2402S	00-01-F4-9B-22-A0		
81	AMC	Enterasys	Switch	VH-2402S	02395306210A		
82	Student Mess	Cisco	Switch	WS-C2950-24	FOC0933Z4HP		
83	Main Gate	Cisco	Switch	WS-C2960S-24PS-L	FOC1637Z1E4		
84	MDP	Cisco	Switch	WS-C3560-24PS-S	CAT1034RGC9		
85	MDP Office	Entasrys	Switch	VH-2402S	00-01-F4-CB-53-80		
86	MDP	Cisco	Switch	WS-C2950-24	FOC1348Y2VE		
87	MDP	Cisco	Switch	WS-C2960-24TT-L	FCW1909B0D9		
88	Patanjali	Enterasys	Switch	VH-2402S	00-01-F4-CB-8B-E0		
89	Patanjali	Cisco	Switch	VH-2402S	FOC1011Z2RV		
90	Patanjali	Cisco	Switch	VH-2402S	FOC1017ZB27		
91	MDP CC	Enterasys	Switch	VH-2402S	00-01-F4-CB-53-80		

92.	Admin Ground Floor	Cisco	Switch	WS-C2960-24TC-S	FOC1442X66T		
93	Admin Ground Floor	Intel	Switch		AASW0460423		
94	Admin -104	Cisco	Switch	WS-C2950-24	FOC1008Z94B		
95	Admin 2nd Floor	Cisco	Switch	WS-C2950-24	FOC1017ZAGE		
96	Admin Purchase Deptt	Cisco	Switch	WS-C2960S-24TS-L	FOC1549X3GA		
97	Ripography (PGP OLD)	Cisco	Switch	WS-C2950-24	FOC0832W0XP		
98	PGP NEW	Cisco	Switch	WS-C2960S-24TS-L	FOC1541Y3V2		
99	PGP NEW	Cisco	Switch	WS-C2960S-24PS-L	FOC1542Z1WF		
100	PGP NEW	Cisco	Switch	WS-C2960S-24PS-L	FOC1442X3V8		
101	PGP NEW	Entrasys	Switch	VH-2402S	00-01-F4-CA-B8-40		
102	PGP OLD(OFFICE)	Cisco	Switch	VH-2402S	FOC1011Z2RZ		
103	PGP OLD(IN TOILET)	Entrasys	Switch	VH-2402S	00-01-F4-B5-9F-80		
104	Electric Deptt.	Entrasys	Switch	VH-2402S	00-01-F4-A5-EC-60		
105	Mini Server Room CC	Cisco	Switch	WS-C2960X-24PS-L	FCW1909B0DV		
106	OAL Lab-1	Cisco	Switch	WS-C2950-24	FOC1015Z4BV		
107	OAL Lab-1	Cisco	Switch	WS-C2960S-24TS-L	FOC1747W6K1		
108	OAL Lab-1	Cisco	Switch	Intel460 T	FOC1135X1CY		
109	OAL-2	Intel	Switch	Intel460 T	SJ819A001120		
110	Oal-2	Intel	Switch	Intel460 T	SJ819A001117		
111	Store Room 1st floor	Intel	Switch	Intel460 T	SJ819A001116		
112	Store Room 1st floor	Intel	Switch	Intel460 T	SJ819A001115		
113	Store Room 1st floor	Intel	Switch	Intel460 T	SJ819A001140		
114	CC Server Room	Cisco	Switch	WS-C4506	FOX10080501		
115	CC Server Room	Cisco	Switch	WS-C4506	FOX11060WLE		
116	Server Room	Intel	Switch	Intel460T	009027396FA6		
117	Server Room (DMZ)	Cisco	Switch	WS-C2950-24	FOC1020Z7X4		
118	Server Room	Cisco	Switch	WS-3550-12T	CAT0805X0AB		
119	Server Room	Cisco	Switch	WS-C2960-24TS-LV04	FOC1732W5B7		
120	ACS server Room	Cisco	Switch		QCN2112002V		
121	Server Room WLC	Cisco	Switch	AIR-WLC4404-100-K9	FOC1104F080		
122	Server Room WLC	Cisco	Switch	AIR-WLC4404-100-K9	FOC1330F097		
123	Server Room WLC	Cisco	Switch	Cisco WLC 5508	FCW1A34L053		
124	Server Room CAS	Cisco	Switch	NAC 3350	USM711021H		
125	Server Room CAM	Cisco	Switch	NAC 3350	USM711021U		
126	Resl-526	Cisco	Switch	WS-C2950-24	FOC1906S5LJ		
127	Library	Cisco	Switch	WS-C2950-24	FOC100W02F		
128	OAL-1	Cisco	Switch	WS-C2950-24	FOC1135X1CY		
129	CC R & D Lab	Cisco	Switch	WS-C2950-24	CAT1109RJWR		
130	CC R & D Lab	Cisco	Switch	WS-C2950-24	FOC1011Z2S6		
131	CC	Cisco	Switch	WS-C2960S-24TS-L	FOC1746W4L4		
132	CC	Cisco	Switch	WS-C2960X-24PS-L	FOC2229V3L1		
133	CC	Cisco	Switch	WS-C2950-24	FOC1011Z2RZ		
134	CC R & D Lab	Cisco	Switch	WS-C2950-24	FOC1042ZHEM		
135	Hostel-17	Cisco	Switch	WS-C2960X-24PS-L	FCW2037A5CB		
136	Hostel-17	Cisco	Switch	WS-C2960X-24PS-L	FCW2037A5GZ		
137	Chankaya	Cisco	Switch	WS-C3560-24PS-S	FDO1404X3S3		
138	Health Center	Entrasys	Switch	VH-2402S	00-01-F4-E8-7C-BE		
139	Patanjali	Cisco	Switch	WS-C2950-24	FOC1015Z4C2		

List of Access Points

S.No.	Location	Make	Asset Type	Model	Serial No.	Back-to-Back Support Yes/No	If No Back-to-Back Support How to Maintain
1	Ground Hall Inside 131 PGP	Cisco	AP	AIR-LAP1041N-A-K9	FGL1543S5RW		
2	ADMIN_CO_WINDOW	Cisco	AP	AIR-LAP1042N-A-K9	FTX1445E3FJ		
3	Resi-516-Lan_218	Cisco	AP	AIR-LAP1042N-A-K9	FGL1450S1R3		
4	PGP_OLD_OFFICE_(4)	Cisco	AP	AIR-LAP1041N-A-K9	FGL1542S1WL		
5	PGP_NEWBLOCK_216(5)	Cisco	AP	AIR-LAP1041N-A-K9	FGL1543S5RR		
6	N-pgp-Ground-hall-in_216(6)	Cisco	AP	AIR-LAP1041N-A-K9	FGL1543S5RP		
7	N-pgp-placement_214(7)	Cisco	AP	AIR-LAP1041N-A-K9	FGL1541S100		
8	NESCAFE_Fa0/1_220(8)	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1112B05J		
9	N-pgp-First-floor-Gallery_236	Cisco	AP	AIR-LAP1041N-A-K9	FGL1542S1RX		
10	N-pgp-l-floor-hall-1-in_215(10)	Cisco	AP	AIR-LAP1041N-A-K9	FGL1543S5RS		
11	N-pgp-First-floor-near99_11	Cisco	AP	AIR-LAP1041N-A-K9	FGL1543S5RV		
12	FAUJI_CANTEEN_Fa0/2_(12)222	Cisco	AP	AIR-LAP1131AG-A-K9	FTX1445T0BM		
13	N-pgp-l-flor-hall-1-in_213(13)	Cisco	AP	AIR-LAP1041N-A-K9	FGL1543S5RT		
14	PGP_HALL_2_(14)	Cisco	AP	AIR-LAP1041N-A-K9	FGL1543S5RN		
15	N-pgp-First-flor-hal-1-in_(15)	Cisco	AP	AIR-LAP1041N-A-K9	FGL1543S5RQ		
16	N-pgp-first-floor-noticeboar(16)	Cisco	AP	AIR-LAP1041N-A-K9	FGL1543S5RY		
17	Resi_507	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2C3		
18	Type_1_IRM_18_Resi_106	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1146B1UG		
19	Resi_534_LAN_IRM_19	Cisco	AP	AIR-LAP1142N-A-K9	FTX1343S5RD		
20	MDP_CR02_front_(20)	Cisco	AP	AIR-LAP1131AG-A-K9	FCW1434V0BS		
21	Resi_515	Cisco	AP	AIR-LAP1131AG-A-K9	FTX1236BOR7		
22	BACK FROM RESI-531 Prof Prakash Singh HAND OVR TO MOHANAN SIR	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2CU		
23	RESI_421	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2C2		
24	Mdp_L3_Switch(25)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C040		
25	Resi_306	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2CD		
26	PGP-CR-107_fa0/1_(27)	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1340B240		
27	RESI_536	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C042		
28	Type_1_IRM_29_Resi_101	Cisco	AP	AIR-LAP1242AG-A-K9	FOC11443RG2		
29	Type_1_IRM_36_Resi_114	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2CA		
30	Type_1_IRM_37_Resi_120	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2CW		

31	Type_1_IRM_38_Resi_107	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2CG		
32	Type_1_IRM_39_Resi_115	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2CT		
33	Type_1_IRM_40_Resi_119	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2CR		
34	Rajesh Rametek_RESI_323	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2CS		
35	Resi-539	Cisco	AP	AIR-LAP1131AG-A-K9	FCW1338V18U		
36	Faculty_Gr_(43)	Cisco	AP	AIR-LAP1131AG-A-K9	FOC11464QL0		
37	RESI_518	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C03N		
38	Resi_527	Cisco	AP	AIR-CAP1602I-A-K9	FCW1921P8ZD		
39	Type_1_IRM_46_Resi_103	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1146B1UB		
40	PGP Block (OLD)	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1148B73F		
41	Type_1_IRM_48_Resi_102	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1101B2HY		
42	Patanjali_424_IRM_49	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1148B73H		
43	CC Store (GF)	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1034B0TY		
44	CC Store (GF)	Cisco	AP	AIR-LAP1242AG-A-K9	FOC11430BLA		
45	Student_Afairs_IRM_52	Cisco	AP	AIR-LAP1242AG-A-K9	FOC11443RGP		
46	PGP-CR-105_fa0/2_(53)	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2C4		
47	Admin_Purchase_(54)	Cisco	AP	AIR-LAP1131AG-A-K9	FTX1245N1UF		
48	R_300_POL_4_Fa0/14_55	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2C7		
49	Resi_512_in_lan(56)_CAO_House	Cisco	AP	AIR-LAP1042N-A-K9	FGL1726S03Z		
50	R_309_POL_9_Fa0/10_57	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2CM		
51	R_314_POL_1_Fa0/1_58	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2CB		
52	R_320_POL_2_Fa0/2_59	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2CF		
53	RESI_422	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2CC		
54	R_310_POL_6_Fa0/5_61	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2CY		
55	RESI_304_FRONT_POLE_62	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1044B3A9		
56	R_300_POL_3_Fa0/15_181	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2C1		
57	AMC_STORE_ROOM	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1112B05H		
58	New_MDP_FF1_fa0/5_(65)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C02L		
59	Patanjali_421	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C02P		
60	Resi_403_LAN_Ajay_Garg_(67)	Cisco	AP	AIR-LAP1131AG-A-K9	FCW1434V0C4		
61	New-MDP-INOFFICE_fa0/2_(68)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C03E		
62	Health_Center_(69)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C02Z		
63	Resi_505_Lan_(70)	Cisco	AP	AIR-LAP1131AG-A-K9	FTX1304T2EM		
64	Resi_402_Type_4	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1347B39W		
65	RESI_523_(72)	Cisco	AP	AIR-LAP1131AG-A-K9	FCW1434V0CY		
66	Lib_FF_SittingAria_fa0/1_(73)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C04A		
67	Library_Stand_By_(74)	Cisco	AP	AIR-LAP1131AG-A-K9	FTX1352N13T		
68	Ground_floor_Hall_1_Library_(75)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1113C032		
69	Resi_524_LAN_Port	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C02J		

70	Lib_GF_HALL_NO_3_fa/7_(77)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C030		
71	L_Refrography_fa0/3_(78)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C02H		
72	RESI_530_141_gi0/1_(79)	Cisco	AP	AIR-LAP1131AG-A-K9	FCW1434V0AO		
73	MDP_CR4_f0/21(80)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C03J		
74	CC Store	Cisco	AP	AIR-LAP1131AG-A-K9	FCW1434V0A5		
75	CC Store	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1235B3HP		
76	Resi-409(FF)_fa0/1_(83)	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1112B05K		
77	Resi-423_Gi0/2_(84)	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1215B4C2		
78	Anunabhasir(422)-Gi0/1_(85)	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1101B2HT		
79	RESI_403_(86)	Cisco	AP	AIR-LAP1131AG-A-K9	FTX1349T0RK		
80	RESI_413_(87)	Cisco	AP	AIR-LAP1131AG-A-K9	FGL1452V3WP		
81	CR-1 MDP	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C02U		
82	Resi-402	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1013B29K		
83	RESI_534_(90)	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2CV		
84	RESI_528_Gi0/8_(91)	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1333B2CL		
85	RESI_532_Gi0/3_(92)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C02C		
86	CC	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C035		
87	Resi_412_L(94)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C02S		
88	MESS_4_(95)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C03T		
89	Resi-406	Cisco	AP	AIR-LAP1131AG-A-K9	FTX1236B0R9		
90	FPM Class room AMC	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C03Z		
91	Resi 549	Cisco	AP	AIR-LAP1131AG-A-K9	FCW1333U0QE		
92	MDP_CR_7_IRM_99	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C03V		
93	RESI_542_(100)	Cisco	AP	AIR-LAP1131AG-A-K9	FCW1434V0AN		
94	RESI_538_LAN_195(21)	Cisco	AP	AIR-LAP1131AG-A-K9	FGL2047A196		
95	RESI_416_Gallery_fa0/3_(102)	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1101B2HZ		
96	RESI_540_PROF_(103)	Cisco	AP	AIR-LAP1131AG-A-K9	FCW1434V0CE		
97	RESI_541_(104)	Cisco	AP	AIR-LAP1131AG-A-K9	FCW1434V0BZ		
98	Library_Children_(105)	Cisco	AP	AIR-LAP1131AG-A-K9	FCW1434V09Z		
99	RESI_FRONT_GATE_419_(106)	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1112B05E		
100	CC	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1235B3HQ		
101	AMC	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1235B3HN		
102	MESS_2_fa0/4_(109)	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1335B08S		
103	CC	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1340B246		
104	MESS_1_fa0/4_(111)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C049		
105	Resi_508_IRM_112	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1642N1DL		
106	RESI_512_(113)	Cisco	AP	AIR-LAP1142N-A-K9	FTX1413K2TV		
107	Ptanjali_Exam_Hall_(116)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C03Y		
108	PGP_SANGEETA_BALA(115)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C03X		
109	Mess_Near_Water_Cooler	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C03H		
110	Admin-Account-117	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C039		
111	RESI_521_(118)	Cisco	AP	AIR-LAP1131AG-A-K9	FOC111602FH		
112	MDP_NEAR_L3_SWITCH_(119)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C047		
113	CC	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1113C034		

114	PROF SONIA RESI_513(121)	Cisco	AP	AIR-LAP1131AG-A-K9	FCW1434V0CH		
115	Resi_504_(122)	Cisco	AP	AIR-LAP1131AG-A-K9	FTX1432N32F		
116	Resi-519_Back_Side_fa0/4_(123)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C03L		
117	RESI_509_fa0/5_(124)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C02K		
118	SCIFI_CC_FIRST_FLOOR	Cisco	AP	AIR-LAP1131AG-A-K9	FTX1304T0LP		
119	Resi-516_LAN_Port	Cisco	AP	AIR-LAP1131AG-A-K9	FTX1411T09Q		
120	RESI_510_fa0/15_(127)	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1148B73G		
121	RESI_546_Fa0/8_(129)	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C03U		
122	Faculty_Launge_PGP_New	Cisco	AP	AIR-LAP1131AG-A-K9	FTX1434N2NM		
123	Resi_548(131)	Cisco	AP	AIR-LAP1131AG-A-K9	FCW1434V0BD		
124	RESI_546	Cisco	AP	AIR-LAP1131AG-A-K9	FTX1445T0BR		
125	SBI	Cisco	AP	AIR-LAP1131AG-A-K9	FTX1433N2CA		
126	Resi_543	Cisco	AP	AIR-LAP1131AG-A-K9	FCW1852NDKM		
127	Library_1st floor near VC	Cisco	AP	AIR-LAP1131AG-A-K9	FTX1245N1SL		
128	Admin_1_Floor_IRM_136	Cisco	AP	AIR-LAP1042N-A-K9	FTX1544K3VQ		
129	RESI_408	Cisco	AP	AIR-LAP1042N-A-K9	FGL1726S03S		
130	CC	Cisco	AP	AIR-LAP1242AG-A-K9	FTX1512B151		
131	H_15_1542(141)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6LU		
132	H_15_1521(142)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6MG		
133	H_15_1506(143)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6MV		
134	H_15_1512(144)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6M3		
135	H_15_1558(145)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6NK		
136	H_15_1551(146)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6N1		
137	H_15_1536(147)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7SW		
138	H_15_1542(148)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7TQ		
139	H_15_1588(149)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7T9		
140	H_15_1580(150)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7U6		
141	H_15_1566(151)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6LH		
142	H_15_1572(152)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6LW		
143	H_14_1428(153)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6MH		
144	H_14_1420(154)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6MW		
145	H_14_1405(155)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6M5		
146	H_14_1412(156)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6NM		
147	H_14_1480(157)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6N4		
148	H_14_1451(158)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7SX		
149	H_14_1435(159)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7TR		
150	H_14_1442(160)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7UE		
151	H_14_1488(161)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7U7		
152	H_14_1481(162)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6LJ		
153	H_14_1466(163)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6LX		
154	H_14_1472(164)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6MJ		
155	PATANJALI_413_(165)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6MX		
156	Arif Sir Samadhan	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6M8		
157	Hostel_9_CommonRoom	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6NP		
158	PATANJALI_ROOM_458(168)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6N5		
159	H_11_C_Room(169)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7SZ		
160	Resi_537	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7TT		

161	CC_HEC_LAB_(171)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7UF		
162	CC_Conference_Room(172)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6LM		
163	H_12_C_Room(173)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6LZ		
164	Faculty_Room_241(174)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6MM		
165	Faculty_Admission_Office(175)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6MY		
166	Faculty_R_229(176)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6ND		
167	Faculty_Room_No_(177)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6NQ		
168	Faculty_Room_208(178)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6N8		
169	Chanakya_ROOM_(179)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7TD		
170	H_13_C_Room(180)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7TU		
171	Chanakya_ROOM_236(181)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7U1		
172	Chanakya_ROOM_259(182)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6LP		
173	CC_Store	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6MB		
174	Chanakya_ROOM_208(184)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6MP		
175	Chanakya_ROOM_216(185)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6M0		
176	Chanakya_ROOM_222(186)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6NE		
177	H_10_C_Room	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6NR		
178	Chanakya_Mess(188)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6N9		
179	CHANAKYA_Mess(189)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7TF		
180	PATANJALI_ROOM_443	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7TV		
181	PATANJALI_2_(191)_Room_440_&_441	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7U2		
182	PATANJALI_1_(192)_Room_436_&_435	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6LQ		
183	PATANJALI_4_(193)_Room_447	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6MC		
184	Patanjali_room_no_415	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6MR		
185	H_5_C_Room(195)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6M1		
186	H_4_C_Room(196)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6NG		
187	H_1,2,3_Common_Room_3_C_Room(197)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6NS		
188	Patanjali_room_no_402	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6P7		
189	Patanjali_room_no_407	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7TK		
190	Patanjali_room_no_410	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7T1		
191	Resi_545_Prof_Mohanty	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7U3		
192	Chanakya_229(202)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6LT		
193	Chanakya_Room_253_(203)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6MF		
194	Resi_522_IRM_204_Prof_Mohanty	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6MS		
195	Resi_544 (bring back from hostel 17)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6M2		
196	CC_Store_(GF)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6NJ		
197	CC_Store_(GF)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X6NT		

198	Admin_Near_VC_Room_208	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7SV		
199	Faculty_FB_1_VC_ROOM_(209)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7TP		
200	Director Residence	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7T8		
201	CC_OUTSIDE_(211)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X7U4		
202	FACULTY_Director_AP_(212)	Cisco	AP	AIR-CAP2702I-D-K9	FGL1836X5PP		
203	Hostel_17_Chairman Room	Cisco	AP	AIR-CAP2702I-D-K9	FCW1843JETP		
204	RESI 503	Cisco	AP	AIR-LAP1042N-A-K9	FGL1718S50L		
205	CC Store (GF)	Cisco	AP	AIR-LAP1241AG-A-k9	FTX1435B0L0		
206	CC Store	Cisco	AP	AIR-LAP1131AG-A-K9	FHK1112C03B		
207	Hastel-17 Chairman Room	Cisco	AP	AIR-CAP1602I-A-K9	FCW1843JETP		
208	Resi-538 Prof Ashwani	Cisco	AP	AIR-CAP1602I-A-K9	FGL1725S2XH		

Annexure - 'C'
List of Switches and Access Points at Noida Campus

S.No.	Location	Make	Asset Type	Model	Serial No.	Back-to-Back Support Yes/No	If No Back-to-Back Support How Maintain
1	Computer Centre	Cisco	Switch	WS-C2960-24TT-L	FOC1201U1FF		
2	Computer Centre	Cisco	Switch	WS-C2960-24TT-L	FOC1212U5LG		
3	Computer Centre	Cisco	Switch	WS-C4507R	FOX1150GJHA		
4	A1 Ground Floor	Cisco	Switch	WS-C3560-48PS	FDO1153Y1BR		
5	A1 Ground Floor	Cisco	Switch	WS-C3560-48PS	FDO1153Y1BK		
6	A1 Ground Floor	Cisco	Switch	WS-C2960-24TT-L	FOC1201U1FN		
7	A2 Ground Floor	Cisco	Switch	WS-C3560-24PS	FDO1201X06G		
8	A2 Ground Floor	Cisco	Switch	WS-C2960-24TT-L	FOC1303Y2VN		
9	MDP Hostel	Cisco	Switch	WS-C3560-24PS	FDO1212X0DT		
10	MDP Hostel	Cisco	Switch	WS-C2960-24TT-L	FOC1303Y2PL		
11	MDP Hostel	Cisco	Switch	WS-C2960-24TT-L	FOC1303Y2PQ		
12	MDP Hostel	Cisco	Switch	WS-C2960-24TT-L	FOC1303Y2P9		
13	MDP Hostel	Cisco	Switch	WS-C2960-24TT-L	FOC1303Y2PH		
14	MDP Hostel	Cisco	Switch	WS-C2960-24TT-L	FOC1303Y2PJ		
15	MDP Hostel	Cisco	Switch	WS-C2960-24TT-L	FOC1303Y2PW		
16	MDP Hostel	Cisco	Switch	WS-C2960-24TT-L	FOC1303Y2Q2		
17	MDP Hostel	Cisco	Switch	WS-C2960-24TT-L	FOC1250Z21C		
18	IPMX Hostel	Cisco	Switch	WS-C3560-24PS	FDO1201X06B		
19	MDP Hostel	Cisco	Switch	WS-C3560-24PS	FDO1212X0DN		
20	IPMX Hostel	Cisco	Switch	WS-C2960-24TT-L	FOC1303Y2PM		
21	IPMX Hostel	Cisco	Switch	WS-C2960-24TT-L	FOC1303Y2V5		
22	IPMX Hostel	Cisco	Switch	WS-C2960-24TT-L	FOC1303Y2PT		
23	IPMX Hostel	Cisco	Switch	WS-C2960-24TT-L	FOC1303Y2VR		
24	IPMX Hostel	Cisco	Switch	WS-C2960-24TT-L	FOC1303Y2PZ		
25	IPMX Hostel	Cisco	Switch	WS-C2960-24TT-L	FOC1303Y2Q0		
26	IPMX Hostel	Cisco	Switch	WS-C2960-24TT-L	FOC1303Y2PB		
27	FACULTY BLOCK	Cisco	Switch	WS-C3560-48PS	FDO1146Z5K9		
28	Seminar Block	Cisco	Switch	SG300-28P 28-Port	DNI172206S7		
29	MDP Hostel	Cisco	Switch	WS-C2960-24TT-L	FOC1250Z21C		
30	Server Room	Cisco	Router	Cisco-2811	FHK1203F10M		
31	Server Room	Cisco	Router	Cisco-1841	FHK120225EU		

List of Access Points

S.No.	Location	Make	Asset Type	Model	Serial No.	Back-to-Back Support Yes/No	If No Back-to-Back Support How to Maintain
1		Cisco	Access Point	AIR-AP1231G-A-K9	FTX1119R02Q		
2		Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y039		
3		Cisco	Access Point	AIR-AP1231G-A-K9	FCW1202Y00D		

4	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y03C		
5	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1202Y00A		
6	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1333U0QS		
7	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1202Y004		
8	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y03T		
9	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y03M		
10	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y03R		
11	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y03F		
12	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y03H		
13	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y03P		
14	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y03J		
15	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y03Q		
16	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1202Y00C		
17	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1333U0QB		
18	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y03L		
19	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y03A		
20	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y03Y		
21	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1202Y00J		
22	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1202Y00E		
23	A1, A2, IPMX Hostel					
24	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1202Y00F		
25	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y03D		
26	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y03S		
27	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y03N		
28	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1333U0DQ9		
29	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y03G		
30	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1212Y00G		
31	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1333U0QJ		
32	Cisco	Access Point	AIR-AP1231G-A-K9	FCW1333U0QG		
33	Cisco	Access Point	AIR-AP1242AG-A-K9	FCW1333U0QT		
34	Cisco	Access Point	AIR-AP1242AG-A-K10	FCW1333U0QE		
35	Cisco	Access Point	AIR-AP1242AG-A-K11	FCW1333U0QC		
36	Cisco	Access Point	AIR-AP1242AG-A-K12	FCW1333U0Q6		
37	Cisco	Access Point	AIR-AP1242AG-A-K13	FCW1333U0Q8		
38	Cisco	Access Point	AIR-AP1242AG-A-K14	FCW1333U0QH		
39	Cisco	Access Point	AIR-AP1242AG-A-K15	FCW1333U0QK		
40	Cisco	Access Point	AIR-AP1242AG-A-K16	FCW1202Y004		
41	Cisco	Access Point	AIR-AP1242AG-A-K17	FCW1212Y03E		
42	Cisco	Access Point	AIR-AP1242AG-A-K18	FCW1202Y00H		
43	Cisco	Access Point	AIR-AP1242AG-A-K19	FCW1202Y00B		
44	Cisco	Access Point	AIR-AP1242AG-A-K20	FCW1333U0QD		
45	Cisco	Access Point	AIR-AP1242AG-A-K21	FCW1333U0QF		
46	Dlink	Access Point	DWL-3200AP	PVKE1B3001102		
47	Dlink	Access Point	DWL-3200AP	PVKE1B3001189		
48	Dlink	Access Point	DWL-3200AP	PVKE1B3001188		
49	Dlink	Access Point	DWL-3200AP	PVKE1B3001190		
50	Dlink	Access Point	DWL-3200AP	PVKE1B3001187		
51	Dlink	Access Point	DWL-3200AP	PVKE1B3001186		
52	Dlink	Access Point	DWL-3200AP	PVKE1B3001136		
53	Dlink	Access Point	DWL-3200AP	PVKE1B3001139		
54	Dlink	Access Point	DWL-3200AP	PVKE1B3001199		
55	Dlink	Access Point	DWL-3200AP	PVKE1B3001137		

56	Faculty Block	Dlink	Access Point	DWL-3200AP	PVKE1B3001100		
57		Dlink	Access Point	DWL-3200AP	PVKE1B3001101		
58		Dlink	Access Point	DWL-3200AP	PVKE1B3001140		
59		Dlink	Access Point	DWL-3200AP	PVKE1B3001122		
60		Dlink	Access Point	DWL-3200AP	PVKE1B3001121		
61		Dlink	Access Point	DWL-3200AP	PVKE1B3001125		
62		Dlink	Access Point	DWL-3200AP	PVKE1B3001123		
63		Dlink	Access Point	DWL-3200AP	PVKE1B3001124		
64		Dlink	Access Point	DWL-3200AP	PVKE1B3001197		
65		Dlink	Access Point	DWL-3200AP	PVKE1B3001198		
66		Dlink	Access Point	DWL-3200AP	PVKE1B3001199		
67	Seminer Block	cisco	Access Point	AIR-SAP1602E-A-K9	FGL1744W5LC		
68		cisco	Access Point	AIR-SAP1602I-N-K9	FOC18060C0E		
69		cisco	Access Point	AIR-SAP1602I-N-K9	FOC1744410S		
70		cisco	Access Point	AIR-SAP1602I-N-K9	FOC18155X6G		
71		cisco	Access Point	AIR-SAP1602I-N-K9	FOC18155XFN		
72		cisco	Access Point	AIR-SAP1602I-N-K9	FOC17460USY		
73		cisco	Access Point	AIR-SAP1602I-N-K9	FOC174689JQ		
74	IPMX Hostel & MDP	cisco	Access Point	AIR-LAP1242AG-A-K9	FTX1236B2XS		
75		cisco	Access Point	AIR-LAP1242AG-A-K9	FTX1333B2C9		
76		cisco	Access Point	AIR-LAP1242AG-A-K9	FTX1519B2NW		
77		cisco	Access Point	AIR-LAP1242AG-A-K9	FTX1519B2PC		
78		cisco	Access Point	AIR-LAP1242AG-A-K9	FTX1333B2C6		
79		cisco	Access Point	AIR-LAP1242AG-A-K9	FTX1333B2CH		
80	MDP	cisco	Access point	WAP4410N	SER180204X3		
81		cisco	Access point	WAP4410N	SER180204WH		
82		cisco	Access point	WAP4410N	SER1802058X		
83		cisco	Access point	WAP4410N	SER173204WJ		
84		cisco	Access point	WAP4410N	SER18020494		
85		cisco	Access point	WAP4410N	SER180204B5		
86		cisco	Access point	WAP4410N	SER180204Q3		
87		cisco	Access point	WAP4410N	SER18020***		
88		cisco	Access point	WAP4410N	SER18020***		
89		cisco	Access point	WAP4410N	SER18020***		
90		cisco	Access point	WAP4410N	SER18020***		
91		cisco	Access point	WAP4410N	SER18020***		
92		cisco	Access point	WAP4410N	SER18020***		
93	IPMX Hostel	cisco	Access point	AIR-1702I	FGL2028XDQN		
94		cisco	Access point	AIR-1702I	FGL2028X0BG		
95		cisco	Access point	AIR-1702I	FGL2028XDQ0		
96		cisco	Access point	AIR-1702I	FGL2028XDP6		